51.104N | Total Eraze Matt White

TOTAL DECO | Whiteboard Films

Features

51.104N | Total Eraze Matt White is a matt white polymeric vinyl used for whiteboard applications. The PVC film is top coated with a low energy lacquer to ensure clean removal of the ink used in dry erase markers and carries a High Tack Permanent adhesive, which allows application on difficult substrates such as painted walls. This whiteboard film imparts a very high opacity level due to the grey tinted adhesive system and the thickness of the film. Thanks to its anti-glare properties, the preferred choice when used in combination with a beamer.

In order to achieve the best installation results, this film should be applied at room temperature and on smooth surfaces only. Please always check the suitability of the whiteboard marker ink prior to installation. We recommend using our 97.011 | Eraze Marker black or, when using different markers, to consult the 'Total Eraze marker compatibility list'.

51.104N | Total Eraze Matt White is available in 1350mm (width) x 50m (length) rolls.

Technical & Performance Information

Film Thickness

Adhesive Thickness

Total Thickness

Adhesive type

Release Liner

Artificial Weathering *

Film Tensile Strength MD

Film Elongation MD

Opacity

Adhesion to steel (20 mins / 180°)

Adhesion to steel (24 hrs / 180°)

Application Temperature

Service Temperature

150 micron

20 micron

170 micron

Grey tinted high tack permanent acrylic

One sided silicone-coated kraft liner

3 years

> 15 N/mm²

> 80%

> 96%

13 N/25mm

21 N/25mm

+5°C to +25°C

-40 to +95°C

Warranty

iSee2 warrantees our material for one (1) year from date of shipment. The shelf life of our material is dependent on storage conditions. We recommend that the end user stores the material in the original boxes (out of direct sunlight) from our factory. We also recommend to store our material at 21°C with 50% relative humidity. iSee2 only warrantees our products to be free from defects in workmanship or defects in iSee2 material. We will replace or credit any material deemed defective. No acceptance or responsibility for loss, damage or expense implied or otherwise shall be assumed by the seller or manufacturer. User assumes all risk and liability in connection herewith. All data values quoted above are typical and should not be used to deem the product defective, if measured values are different.

Groendreef 35 B-9880 Aalter | Belgium T +32 9 216 67 00 E info@iSee2.eu W www.iSee2.eu

 $[\]mbox{\ensuremath{^{\star}}}$ equivalent to vertical exposure in Mid-European climate