SAFETY DATA SHEET

Date: 6 March 2012

Mitsubishi Imaging (MPM), Inc.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier**

> **GHS** Product Identifier SDP - EAC II **Product Code** SDP - EAC II

Chemical Name Mixture, Activator for SDP - Eco System

Trade name SDP - EAC II CAS No. Mixture EINECS No. Mixture

Not available 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Users are recommended to seek further advice. Uses advised against Users are recommended to seek further advice.

1.3 Supplier's details

Company Identification Mitsubishi Imaging (MPM), Inc.

Address 555 Theodore Fremd Avenue, Rye, NY 10580 USA

Telephone (914) 925-3200

E-Mail (competent person)

REACH Registration No.

Emergency telephone number – ChemTrec

Emergency Phone No. (800) 424-9300 (US/Canada), +01 (703) 527-3887 (Elsewhere)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) - Skin Corrosion 1A, Eye Damage 1, Skin Sensitizer 1 (3.2/1A,3.3/1, 3.4/1)

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC - Corrosive

2.2 Label elements

2.2.1 According to Regulation (EC) No. 1272/2008 (CLP) Label elements

GHS Product Identifier (EU)

Hazard

pictogram(s) Signal word(s) Danger

Hazard H314: Causes severe skin burns and eye damage.

statement(s) H317 May cause an allergic skin reaction.

P280: Wear protective gloves/protective clothing/eye protection/face protection. Precautionary Statement(s) P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307 + P311: If exposed: Call a POISON CENTRE or doctor/physician.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard Symbol



R35 Causes severe burns. Risk Phrases

R43: May cause sensitization by skin contact.

Safety Phrases S24/25: Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S27/28: After contact with skin, take off immediately all contaminated clothing,

and wash immediately with plenty of: Cool water.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S45 In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

2.3 Other hazards Hazardous under OSHA Hazard Communication Standard (USA)

> HMIS: Health-2, Flammability- 0 Reactivity – 1 GHS Classification (USA): 3.2/1A, 3.3/1; Corrosive H314: Causes severe skin burns and eye damage.



Page: 1/6 Expiration Date: 5 March 2015 New Issue

SAFETY DATA SHEET

SDP - EAC II Activator for SDP ECO System

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Date: 6 March 2012

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307 + P311: If exposed: Call a POISON CENTRE or doctor/physician.

WHMIS Classification (Canada): Class E - Corrosive Material

H314: Causes severe skin burns and eye damage. P280: Wear protective gloves/protective clothing/

eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307 + P311: If exposed: Call a POISON CENTRE or doctor/physician.

2.4 **Additional Information**

Potential Health Effects

Inhalation May cause severe irritation. Eye Contact Causes severe burns. Skin Contact Causes severe skin burns.

Ingestion Causes severe burns. Danger of very serious irreversible effects.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.		ictogram(s) and d statement(s)
Sodium Hydroxide	1-5	1310-73-2	215-185-5	NA		3.2/1A, 3.3/1; H314
Potassium Hydroxide	1-5	1310-58-3	215-181-3	NA		3.1/4, 3.2/1A, 3.3/1; H302, H314,
n-Aminoethyl Ethanolamine	0.1-2.0	111-41-1	203-867-5	NA		3.2/1B, 3.4/1; H314, H317
Sodium Sulfite	10-15	7757-83-7	231-821-4	NA	None	EUH031
Triethylenetetramine- N,N,N',N",N"',N"'-Hexaacetic Acid, Hexasodium Salt	0.1-2.0	18719-04-5	Not referenced	NA	None	None

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.	EC Classifi Risk Pl	
Sodium Hydroxide	1-5	1310-73-2	215-185-5	NA		C; R35
Potassium Hydroxide	1-5	1310-58-3	215-181-3	NA		C; R35
n-Aminoethyl Ethanolamine	0.1-2.0	111-41-1	203-867-5	NA		C, Xn; R34, R43
Sodium Sulfite	10-15	7757-83-7	231-821-4	NA	None	R31
Triethylenetetramine- N,N,N',N",N"",N""-Hexaacetic Acid, Hexasodium Salt	0.1-2.0	18719-04-5	Not referenced	NA	None	None

3.3 **Additional Information**

- For full text of H/P phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult. If Inhalation symptoms develop, obtain medical attention.

Wash affected skin with soap and water. If symptoms develop, obtain medical attention. Skin Contact

Mitsubishi Imaging (MPM), Inc.

Page: 2/6 Expiration Date: 5 March 2015

SAFETY DATA SHEET SDP - EAC II Activator for SDP ECO System

Eye Contact Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15

minutes. Obtain immediate medical attention.

Ingestion Do not induce vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and effects, **Acute:** Causes severe damage to eyes and skin.

both acute and delayed Delayed and chronic effects: Similar to acute exposures. 4.3 Indication of the immediate medical

Exposure by any route should be treated symptomatically by attention and special treatment needed

medical personnel.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

> Suitable Extinguishing Media Unsuitable Extinguishing Media

Carbon Dioxide, water, water fog, dry chemical, chemical foam.

5.2 Special hazards arising from the substance or mixture

Product is corrosive. Products of combustion include compounds of carbon, hydrogen, oxygen, nitrogen and sulfur, including Carbon

Monoxide.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing

should be worn in fire conditions. Keep containers cool with water spray

to prevent container rupture due to steam buildup;

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective Ensure full personal protection (including respiratory equipment and emergency procedures

Environmental precautions 6.2

Methods and material for containment 6.3

and cleaning up

protection) during removal of spillages.

Do not let undiluted product enter drains.

Rinse small spills to sewers with copious quantities of water. Confine large spills; either use vacuum gear or inert absorbent such as clay. Keep in suitable, closed containers for disposal.

Date: 6 March 2012

See Also Section 7, 8, 13.

Reference to other sections 6.4 Additional Information 6.5

For spills in excess of allowable limits (RQ) notify the National Response Center at (800) 424-8802; refer to SARA Title III, Section 313 40 CFR 372, and CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe All employees who handle this material should be trained to handle it safely. handling Wear suitable protective clothing and eye/face protection. Avoid all contact.

Attacks many metals. Store at ambient termperatures. Store in a closed Conditions for safe storage, including any container. Store in a well-ventilated place. Keep/store away from: Strong incompatibilities acids, metals.

Storage Temperature Ambient temperatures.

Storage Life Not available. Keep containers properly sealed when not in use.

Incompatible materials Strong acids, metals. Specific end use(s) Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

7.2

7.3

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Sodium hydroxide	1310-73-2	NE	2 (Ceiling)	NE	NE	OSHA
Sociali flydroxide	1310-73-2	NE	2 (Ceiling)	NE	NE	ACGIH
Potassium Hydroxido	1310-58-3	NE	2 (Ceiling)	NE	NE	OSHA
Potassium Hydroxide	1310-36-3	NE	2 (Ceiling)	NE	NE	ACGIH
n-Aminoethyl Ethanolamine	111-41-1	NE	NE	NE	NE	OSHA
		NE	NE	NE	NE	ACGIH
Sodium sulfite	7757-83-7	NE	NE	NE	NE	OSHA
Socium sunte	1131-03-1	NE	NE	NE	NE	ACGIH
Triethylenetetramine-		NE	NE	NE	NE	OSHA
N,N,N',N",N"',N"'-Hexaacetic Acid, Hexasodium Salt (c)	18719-04-5	NE	NE	NE	NE	ACGIH

8.1.2 Biological limit value

Biological limit values are not available for this product.

Expiration Date: 5 March 2015 Page: 3/6

SAFETY DATA SHEET

SDP - EAC II Activator for SDP ECO System

8.1.3 PNECs and DNELs

No PNECs and/or DNELs are available for this product.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Guarantee sufficient ventilation during and after use, in

order to prevent vapour accumulation.

Date: 6 March 2012

Personal protection equipment

Eye/face protection Safety spectacles.

Skin protection Plastic or synthetic rubber gloves. Wear chemical resistant

(Hand protection/ Other) apron.

9.2

Wear suitable respiratory protective equipment if exposure Respiratory protection to levels above the occupational exposure limit is likely.

Thermal hazards None

8.2.3 **Environmental Exposure Controls** Adequate ventilation must be used.

HMIS Personal Protective Equipment Letter Designation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Not available Colorless Appearance Colour Not established Odour Odour Threshold (ppm) Not available Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): Not available Flash Point (°C) Not Flammable Explosive limit ranges Not available Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Explosive properties Not available Oxidising properties Not available Flammability (solid, gas) Not available pH (Value) 13.5

Vapor Pressure (mm Hg) Evaporation rate <1 NE Vapour Density (Air=1) >1 Density (g/ml) 1.083-1.086 @25°C

Solubility (Water) Complete Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Viscosity (mPa.s) Not specified. Other information Volatile Organic Compound (VOC) Content: 45 g / L per EPA Method 24 (does not

include water). VOC weight %: <5% (calc) per California CARB methodology.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable

10.2 **Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Can react violently if in contact with - strong acids, metals.

10.4 Conditions to avoid Extreme temperatures 10.5 Incompatible materials strong acids, metals

Hazardous Decomposition Product(s) Oxides of carbon, sulfur, nitrogen, hydrocarbons, fumes, smoke. 10.6

SECTION 11: TOXICOLOGICAL INFORMATION

Ingredient	CAS No.	LD ₅₀ (Oral, Rat)	LC ₅₀ (Inhalation, Rat)
Sodium Hydroxide	1310-73-2	No data	No data
Potassium Hydroxide	1310-58-3	273 mg/kg	No data
n-Aminoethyl Ethanolamine	111-41-1	3000 mg/kg	No data
Sodium Sulfite	7757-83-7	3560mg/kg	5500mg/m3
Triethylenetetramine- N,N,N',N",N"',N"'- Hexaacetic Acid, Hexasodium Salt (c)	18719-04-5	No data	No data

11.1 Information on toxicological effects

11.1.2 **Mixtures**

11.2

Acute toxicity Highly corrosive to gastrointestinal tract. Irritation Causes severe damage to eyes and skin.

Corrosivity Corrosive to skin and eyes. Sensitisation May cause allergic skin reactions. Repeated dose toxicity Similar to acute exposures.

None

Carcinogenicity No data Mutagenicity No data Toxicity for reproduction No data

Mitsubishi Imaging (MPM), Inc.

Other information

Expiration Date: 5 March 2015 Page: 4/6

SAFETY DATA SHEET

SDP - EAC II Activator for SDP ECO System

SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** In undiluted form, harmful to aquatic organisms.

12.2 Persistence and degradability Expected to be biodegradable.

12.3 Bioaccumulative potential Slight.

12.4 Mobility in soil Expected to have moderate to high mobility in soils.

Results of PBT and vPvB assessment 12.5 No data.

12.6 Other adverse effects Environmental hazards cannot be excluded by inappropriate

handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Do not empty into drains; dispose of this material and its container in a

> safe way. Send to a licensed recycler, reclaimer or incinerator. Avoid release to the environment. Decontaminate empty containers before

recycling.

13.2 Additional Information None

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID) (a)(c) Land transport (Within USA) (b)(c)

UN number UN 3266 **UN** number UN 3266 Proper Shipping Name Corrosive liquid, basic, Proper Shipping Name

Corrosive liquid, basic, inorganic, n.o.s.

Date: 6 March 2012

inorganic, n.o.s. Transport hazard class(es) Transport hazard class(es) Packing Group Ш Packing Group

Ш Hazard label(s) Corrosive Hazard label(s) Corrosive Environmental hazards Environmental hazards None None Special precautions for user None Special precautions for user None

Sea transport (IMDG) (a)(c) Air transport (ICAO/IATA) (a)(c)

UN 3266 UN 3266 **UN** number **UN** number

Proper Shipping Name Corrosive liquid, basic, Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. inorganic, n.o.s.

Transport hazard class(es) Transport hazard class(es) Ш Packing Group Packing Group Ш

Marine Pollutant No Environmental hazards None Special precautions for user None Special precautions for user None

(a) - Consult with transport provider. Full shipping name: Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide, Potassium Hydroxide, Ethanolamine).

(b)- ORM-D may be applicable within the USA for package sizes less than 30 kg until 2014.

(c)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 **EU** regulations

Authorisations and/or restrictions on use Consult the supplier.

European Union (EINECS/ELINCS) Referenced. WGK number No Data.

15.1.2 National regulations

USA

All chemicals listed TSCA (Toxic Substance Control Act) SARA 311/312 - Hazard Categories Acute Health Hazard SARA 302 - Extremely Hazardous Substances Listed -None SARA 313 - Toxic Chemicals Listed -None

CERCLA (Comprehensive Environmental Response

10,000lbs (4,540 kg) RQ as sodium and potassium Compensation and Liability Act) hvdroxide..

CAA (Clean Air Act 1990) Listed - None. CWA (Clean Water Act) Listed - None. State Right to Know Lists Listed - MA, NJ, PA Proposition 65 (California) Listed - None

Canada

WHMIS Classification E - Corrosive Material.

Mitsubishi Imaging (MPM), Inc.

Page: 5/6 Expiration Date: 5 March 2015

SAFETY DATA SHEET

SDP - EAC II Activator for SDP ECO System

Canada (DSL/NDSL): Triethylenetetramine-N,N,N',N",N"-hexaacetic acid, hexasodium salt (18719-04-5) and 3,6-Dithia-1,8-Octanetriol (5244-34-8) are not listed on the Canadian DSL or NDSL. All other

Date: 6 March 2012

components of this product identified by CAS number are listed.

Canada Ingredient Disclosure List (CIDL)

Listed as required.

15.2 Chemical Safety Assessment: Highly corrosive to all tissue. Corrosive to metals. Harmful to aquatic environment in undiluted form.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
			Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mL	milliliter	WHMIS	Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological

Emergencies, Manufacturer Information Risk Phrases and Safety Phrases

R21/22: Harmful in contact with skin and if swallowed.

R31 Contact with acids liberates toxic gas.

R34: Causes burns.

R35 Causes severe burns.

R43: May cause sensitization by skin contact.

Hazard statement(s) and Precautionary statement(s)

H302 Harmful if swallowed.

H314: Causes severe skin burns and eye damage..

H317 May cause an allergic skin reaction.

EUH031 Contact with acids liberates toxic gas

Training advice: None

Additional Information: Ingredient names for labeling purposes (CAS #) - Water (7732-18-5), Sodium Hydroxide (1310-73-2), Potassium Hydroxide (1310-58-3), n-Aminoethyl Ethanolamine (111-41-1), Sodium Sulfite (7757-83-7), Triethylenetetramine- N,N,N',N",N"',N"'-Hexaacetic Acid, Hexasodium Salt (18719-04-5)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Page: 6/6 Expiration Date: 5 March 2015