



ZHANGJIAGANG FEITENG NEW COMPOSITE MATERIALS CO.,LTD.

Fire certificate statement

Dear 3rd September 2021

Dear Customer,

Feiteng confirm that our fire certifications below:

1/ EN13501 (Euroclass)

- GZIN1802007567CM from 10.04.2018, thickness 2mm, result C s1 d0
- GZIN2009049107CM from 22.09.2020, thickness 3mm, result C s1 d0
- GZIN1803013461CM from 10.04.2018, thickness 4mm, result C s1 d0
- GZIN1803013462CM from 10.04.2018, thickness 6mm, result C s1 d0

2/ NFP92507 (M1)

- AJFS1907006709FF from 24.07.2019, thickness 2mm, result M1
- GZIN1806031885CM from 18.06.2018, thickness 3mm, result M1
- AJFS1907006710FF from 24.07.2019, thickness 4mm, result M1
- AJFS1907006711FF from 24.07.2019, thickness 6mm, result M1

Are valid for all our standard signage Aluminium Composite Panels B-bond from 0.18mm aluminium thickness.

They're also convenient for all our B-bond colors and finishes available (Mirror, Brushed, Primer, White, ..)

Thank you for your kindly attention.

Signature:

Date: 2021.09.03

