

## Lino Tex 1000 - TAG Digital®

### TECHNICAL DATA SHEET

#### Description:

The **Lino Tex 1000 - TAG Digital®** is a white soft PVC foam floor covering covered with a high tenacity PES yarns. It is specially designed for indoor and short to mid-term applications such as exhibition stands, theaters, fashion shows.

#### Characteristics:

The **Lino Tex 1000 - TAG Digital®** has a weight of 1000 gr/m<sup>2</sup>. It is composed of white soft PVC of 2200µ covered with a 100% PES high tenacity fabric 300x300 which give an incredible aspect. The **Lino Tex 1000 - TAG Digital®** has also a very good tensile strength and tearing strength.

#### Printing:

The **Lino Tex 1000 - TAG Digital®** can be printed with UV and latex inks and offers a good printing rendering as well as a high color density.

#### Approvals and Standards:

Fire retardant Euroclasse : **Bfl – s1**

Anti-slip Class : **R10**

#### Technical data:

Fabric: 100% PES 300\*300D sq.in

Tensile strength: 650/550 N/2,5cm

Tear strength: 70/60 N

Temperature resistance: -20-70°C

#### Product references:

<b>Lino Tex 1000</b>	<b>1,60 x 30 m</b>	LINO-TEX-1000-160030
	<b>2,50 x 30 m</b>	LINO-TEX-1000-250030
	<b>3,20 x 30 m</b>	LINO-TEX-1000-320030

Note:

The information in this data sheet is based on laboratory tests and experience gained in practice. It does not constitute a legal guarantee. A test prior to use must be carried out.

Durability is estimated based on exposure conditions in Central Europe. The actual life of the product depends on substrate preparation, exposure conditions and maintenance of the marking. Outdoor performance degradation can be expected when the films are exposed southward, if applied in areas with high temperatures such as Southern European countries, or in polluted areas.