

Product-Handling-Information Sheet

Trovidur® ESA

1. Company

Name/Address: Röchling Engineering Plastics SE & Co. KG
 Röchlingstr. 1
 D-49733 Haren | Germany
 T +49 5934 701-0 | F +49 5934 701-300
info@roechling-plastics.com
www.roechling-industrial.com

2. Product details

Product/Article: Technical semi-finished product or machined part
 Abbreviated terms: PVC-U
 Material characterisation: Amorphous, plastic
 Main components: Polyvinyl chloride, stabilizers and Additive
 Components subject to labelling: Dioctyl-tin-combinations (DOTE – CAS no. 15571-58-1) in bound form
 Classification according to REACH: Article
 Notes: -

3. Product characteristics

Form/State: Firm
 Colour: Natural or coloured
 Odour: Nearly odourless
 Density: 1,30 – 1,60 g/cm³ (ISO 1183)
 Melting range: 130°C – 180°C (DSC)
 Glass transition temperature: -
 Thermal decomposition: > 180°C
 Ignition temperature: > 450°C
 Notes: -

Product-Handling-Information Sheet

Trovidur® ESA

4. Danger warnings

Special risks for mankind and the environment: None

Notes: -

5. Handling and Storage

Handling: Product can be worked with conventional machines and tools.

Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions

While the processing sufficient for enough airing or by smoke attack provide for a extraction

Storage: Horizontally, dry, protected against frost and climatic influences

Do not store with flammable materials

Safety measures: -

Notes: By the processing under high temperatures gases can outcome, this gases can cause irritation the eyes and respiratory tract

6. Transport

Transport: Non dangerous goods according to the transport regulations

Secure against slipping

Notes: -

7. Fire – fighting measures

Suitable extinguishing agents: Water mist, foam, dry powder extinguishing agents

Potential combustion products: Carbon monoxide, carbon dioxide, hydrochloric acid, hydrocarbon

Necessary protection equipment: Complete protection equipment for fire-brigade

Use self-contained air respirators during strong smoke and steam development

Product-Handling-Information Sheet

Trovidur® ESA

Notes: Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instruction

8. Disposal references

Recyclability: Check possibility of recycling

EC Waste Catalogue: The product is classified in accordance with the European-Waste Catalogue (EWC) as "Not dangerous"

EC Waste Code: 120105 Plastics shavings and turnings
200139 Plastics of Separately collected fractions

Waste removal: Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations

Notes: This material can to 100 % be recycled

9. References to marking, guidelines and regulations

Marking in accordance with EEC-guidelines: No labelling required

Other guidelines: -

Notes: -

10. Information about REACH

In accordance with the EU directive 1907/2006/EC (REACH), article 3, no. 3, our products are clearly defined as articles not subject to registration.

The European directive regarding chemicals no. 1907/2006 (REACH) enforced on 1st June 2007 stipulates Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. Our products do not fall under this scope of REACH.

11. Other information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.